



Universal Drawer Lock
external locking bar
and anti-tilt mechanism






Thomas Regout International B.V. offers a broad range of linear motion solutions that help move your application in any direction: horizontal, vertical or diagonal.

Challenge us, in any way. We will present an innovative and integrated total solution, completely adapted to your specific needs and demands. In our own R&D department we design innovative sliding and linear motion systems. Incorporating the highest ISO international and environmental standards that ensure that our products and services are safe, reliable, sustainable and of high quality.

UDL (Universal Drawer Lock)

The UDL is a locking and anti-tilt mechanism with a pre-determined 25 mm pitch dimension, lockable at every position. The UDL fulfills many security and safety related issues. Furthermore it prevents misuse and accidental self locking if it is not used in a proper way. The UDL is a customized locking bar and anti-tilt system for toolbox cabinets. It is suitable for drawer loads up to 300 kg. With the UDL, Thomas Regout International offers a system solution. We have improved to a more simple assembly of our slides together with a higher quality locking mechanism that meets the RAL safety requirements.



features and benefits



- 1 A 100% functional anti-tilt
- 2 A 100% burglar proof system
- 3 Only able to open one drawer at a time
- 4 Security regulations fulfilled
- 5 Customized assembled locking bar
- 6 One UDL per cabinet height needed
- 7 Standard pitch dimension of 25 mm, if requested 30 mm
- 8 Locking up to 1600 mm in height
- 9 Compatible with all TR slide models (100 kg, 200 kg and optional 300 kg / drawer)
- 10 Optional change of drawers within the system



Universal Drawer Lock

external locking bar and anti-tilt mechanism

Technical specifications



UDL

| | |
|----------------------|-------------------------------------|
| Width | 65,5 mm |
| Thickness | 53,0 mm |
| Height | 200–2000 mm (locking up to 1600 mm) |
| Pitch | 25 mm (30 mm possibility) |
| Lifetime UDL | > 60.000 cycles |
| Lifetime Drawerplate | > 10.000 cycles |
| Fixation UDL | Tabs in cabinet |
| Fixation Drawerplate | Tabs in drawer or 3*M5 |





Thomas Regout International B.V.

Industrieweg 40
6219 NR Maastricht
The Netherlands

T. +31 (0)43 351 66 66

F. +31 (0)43 351 66 99

E. sales@tregout.nl

www.thomasregout.com

